

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

ATTY.'S DOCKET: LINDSKOG=1

In re Application of:	)	Confirmation No.: 9409
	)	
Martin LINDSKOG	)	Group: 3745
	)	
U.S. Appln. No.: 10/576,322	)	Examiner: Richard Edgar
	)	
Filed January 25, 2009	)	November 25, 2009
	)	
For: CENTRIFUGAL PUMP	)	

AMENDMENT AND REPLY UNDER 37 C.F.R. § 1.111

U.S. Patent and Trademark Office  
Customer Service Window, **Mail Stop Amendment**  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Sir:

In response to the Office Action of August 26, 2009, the period for response having been extended by three months to November 26, 2009 by Petition for Extension of Time, Applicant herein presents the following amendments and remarks.

**Amendments to the Specification** begin on page 2.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Amendments to the Drawings** begin on page 5 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

**Remarks/Arguments** begin on page 6 of this paper.

An **Appendix** follows the signature page.